

Table 2.77C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	324	282	308	255	244	194
GENDER						
Male	200	177	187	162	154	124
Female	189	174	179	159	140	122
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	259	250	244	227	193	174
White	220	213	210	198	166	153
Black or African American	94	87	78	76	54	53
American Indian or Alaska Native	20	14	19	12	12	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	57	63	52	59	41	40
Two or More Races	36	33	33	29	23	19
Hispanic or Latino	149	123	137	107	101	78
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	134	131	127	123	99	96
Female, White, Not Hispanic	137	130	131	121	104	96
Male, Black, Not Hispanic	55	59	47	51	35	35
Female, Black, Not Hispanic	65	56	55	49	36	36
Male, Hispanic	99	87	91	77	74	58
Female, Hispanic	80	77	74	68	50	49

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.77D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.48	0.47	0.51	0.46	0.48	0.40
GENDER						
Male	0.61	0.58	0.62	0.58	0.61	0.51
Female	0.63	0.62	0.64	0.61	0.59	0.54
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.53	0.53	0.53	0.52	0.49	0.46
White	0.58	0.62	0.59	0.61	0.56	0.56
Black or African American	1.07	1.08	0.97	1.06	0.82	0.84
American Indian or Alaska Native	5.09	3.65	5.10	3.55	4.32	2.96
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.28	2.28	2.23	2.21	1.97	1.64
Two or More Races	2.21	2.18	2.21	2.11	1.83	1.58
Hispanic or Latino	1.03	0.95	1.06	0.90	0.94	0.79
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.74	0.77	0.76	0.76	0.70	0.71
Female, White, Not Hispanic	0.78	0.82	0.77	0.82	0.74	0.75
Male, Black, Not Hispanic	1.41	1.54	1.30	1.46	1.16	1.15
Female, Black, Not Hispanic	1.54	1.37	1.42	1.42	1.14	1.19
Male, Hispanic	1.35	1.38	1.35	1.32	1.34	1.13
Female, Hispanic	1.33	1.29	1.38	1.23	1.07	1.05

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.77P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0127		0.0118		0.0073	
GENDER						
Male	0.0418		0.0139		0.0316	
Female	0.0720		0.1440		0.0532	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1159		0.1160		0.0387	
White	0.2530		0.1485		0.0384	
Black or African American	0.7840		0.8634		0.8855	
American Indian or Alaska Native	0.2978		0.2028		0.3794	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6892		0.2932		0.5738	
Two or More Races	0.0214		0.0411		0.0993	
Hispanic or Latino	0.0162		0.0087		0.0302	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.6324		0.3972		0.3663	
Female, White, Not Hispanic	0.2104		0.1794		0.0258	
Male, Black, Not Hispanic	0.7979		0.8067		0.5009	
Female, Black, Not Hispanic	0.4976		0.6142		0.6300	
Male, Hispanic	0.0074		0.0009		0.0121	
Female, Hispanic	0.4147		0.6575		0.6788	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.78C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	2,157	2,141	1,931	1,880	1,703	1,674
GENDER						
Male	1,318	1,351	1,200	1,184	1,094	1,088
Female	1,325	1,341	1,191	1,212	1,043	1,045
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,034	2,024	1,832	1,791	1,618	1,592
White	1,909	1,852	1,703	1,661	1,493	1,479
Black or African American	672	719	560	584	453	486
American Indian or Alaska Native	109	104	77	75	64	63
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	435	476	403	428	322	352
Two or More Races	235	223	224	179	199	174
Hispanic or Latino	800	725	671	605	562	527
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	1,104	1,112	999	1,013	921	936
Female, White, Not Hispanic	1,190	1,189	1,069	1,075	927	928
Male, Black, Not Hispanic	408	476	346	401	292	343
Female, Black, Not Hispanic	462	445	391	369	314	304
Male, Hispanic	579	534	496	463	432	415
Female, Hispanic	463	430	372	370	316	317

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.78D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.29	0.33	0.42	0.43	0.45	0.46
GENDER						
Male	0.33	0.40	0.56	0.59	0.62	0.63
Female	0.44	0.49	0.56	0.59	0.58	0.61
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.30	0.34	0.44	0.45	0.47	0.50
White	0.29	0.33	0.49	0.48	0.54	0.55
Black or African American	0.98	1.03	1.29	1.27	1.28	1.27
American Indian or Alaska Native	2.19	2.54	4.69	4.19	4.52	4.07
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.12	2.42	2.31	2.42	2.17	2.37
Two or More Races	1.82	1.91	2.76	3.40	3.82	3.52
Hispanic or Latino	0.98	0.98	1.17	1.17	1.16	1.17
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.33	0.41	0.63	0.67	0.71	0.73
Female, White, Not Hispanic	0.43	0.48	0.66	0.65	0.72	0.72
Male, Black, Not Hispanic	1.29	1.22	1.87	1.82	1.93	1.96
Female, Black, Not Hispanic	1.32	1.51	1.70	1.70	1.59	1.61
Male, Hispanic	1.18	1.19	1.65	1.66	1.73	1.69
Female, Hispanic	1.53	1.44	1.60	1.58	1.51	1.52

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.78P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0782		0.5995		0.6595	
GENDER						
Male	0.1653		0.6584		0.3085	
Female	0.2032		0.7446		0.6835	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0759		0.4059		1.0000	
White	0.1689		0.9214		0.5567	
Black or African American	0.1940		0.4284		0.9249	
American Indian or Alaska Native	0.6155		0.6088		0.4469	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7874		0.7717		0.3589	
Two or More Races	0.8358		0.0614		0.3542	
Hispanic or Latino	0.7082		0.5185		0.2007	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.1083		0.9531		0.2757	
Female, White, Not Hispanic	0.5644		0.8426		0.8251	
Male, Black, Not Hispanic	0.4508		0.8222		0.2339	
Female, Black, Not Hispanic	0.0250		0.1913		0.2620	
Male, Hispanic	0.7816		0.9127		0.3820	
Female, Hispanic	0.4446		0.4311		0.3705	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.79C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	244	194	188	153	88	68
GENDER						
Male	154	124	121	102	66	53
Female	140	122	106	88	51	40
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	193	174	152	133	79	61
White	166	153	131	123	69	58
Black or African American	54	53	37	34	16	14
American Indian or Alaska Native	12	8	12	7	4	2
Native Hawaiian or Other Pacific Islander	*	*	*	6	*	*
Asian	41	40	32	25	15	6
Two or More Races	23	19	19	15	10	5
Hispanic or Latino	101	78	75	68	34	30
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	99	96	84	84	50	44
Female, White, Not Hispanic	104	96	80	70	43	34
Male, Black, Not Hispanic	35	35	24	23	13	11
Female, Black, Not Hispanic	36	36	25	25	9	11
Male, Hispanic	74	58	57	50	31	26
Female, Hispanic	50	49	38	39	14	16

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.79D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.48	0.40	0.40	0.34	0.21	0.17
GENDER						
Male	0.61	0.51	0.52	0.45	0.31	0.25
Female	0.59	0.54	0.49	0.42	0.26	0.21
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.49	0.46	0.42	0.38	0.25	0.19
White	0.56	0.56	0.49	0.49	0.30	0.26
Black or African American	0.82	0.84	0.61	0.57	0.29	0.26
American Indian or Alaska Native	4.32	2.96	4.29	2.59	1.72	0.82
Native Hawaiian or Other Pacific Islander	*	*	*	3.69	*	*
Asian	1.97	1.64	1.59	1.13	0.80	0.30
Two or More Races	1.83	1.58	1.61	1.33	0.94	0.45
Hispanic or Latino	0.94	0.79	0.76	0.73	0.38	0.35
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.70	0.71	0.65	0.66	0.43	0.38
Female, White, Not Hispanic	0.74	0.75	0.65	0.60	0.40	0.32
Male, Black, Not Hispanic	1.16	1.15	0.82	0.82	0.47	0.38
Female, Black, Not Hispanic	1.14	1.19	0.86	0.87	0.34	0.41
Male, Hispanic	1.34	1.13	1.13	1.03	0.67	0.59
Female, Hispanic	1.07	1.05	0.90	0.89	0.35	0.37

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.79P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.0073		0.0248		0.0198	
GENDER						
Male	0.0316		0.3072		0.1570	
Female	0.0532		0.0095		0.0375	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0387		0.0205		0.0361	
White	0.0384		0.0320		0.0936	
Black or African American	0.8855		0.8615		0.9658	
American Indian or Alaska Native	0.3794		0.3904		0.1681	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5738		0.9278		0.4754	
Two or More Races	0.0993		0.1860		0.0740	
Hispanic or Latino	0.0302		0.5046		0.2948	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.3663		0.8334		0.6870	
Female, White, Not Hispanic	0.0258		0.0014		0.0277	
Male, Black, Not Hispanic	0.5009		0.5195		0.6429	
Female, Black, Not Hispanic	0.6300		0.6941		0.6254	
Male, Hispanic	0.0121		0.3434		0.1539	
Female, Hispanic	0.6788		0.8809		0.5921	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.80C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	1,703	1,674	905	944	453	448
GENDER						
Male	1,094	1,088	713	717	387	372
Female	1,043	1,045	457	502	200	233
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,618	1,592	810	871	418	416
White	1,493	1,479	750	785	388	382
Black or African American	453	486	269	304	130	140
American Indian or Alaska Native	64	63	57	52	24	22
Native Hawaiian or Other Pacific Islander	*	*	*	38	16	27
Asian	322	352	152	176	36	53
Two or More Races	199	174	109	79	53	57
Hispanic or Latino	562	527	373	398	166	164
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	921	936	577	583	331	304
Female, White, Not Hispanic	927	928	377	422	168	212
Male, Black, Not Hispanic	292	343	211	244	109	114
Female, Black, Not Hispanic	314	304	162	172	71	79
Male, Hispanic	432	415	317	331	145	158
Female, Hispanic	316	317	173	206	82	53

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.80D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.45	0.46	0.35	0.35	0.20	0.19
GENDER						
Male	0.62	0.63	0.58	0.56	0.35	0.34
Female	0.58	0.61	0.36	0.39	0.17	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.47	0.50	0.36	0.38	0.21	0.21
White	0.54	0.55	0.41	0.43	0.24	0.24
Black or African American	1.28	1.27	0.92	1.05	0.50	0.53
American Indian or Alaska Native	4.52	4.07	4.01	3.56	2.04	1.78
Native Hawaiian or Other Pacific Islander	*	*	*	5.04	1.77	3.64
Asian	2.17	2.37	1.34	1.50	0.34	0.46
Two or More Races	3.82	3.52	3.26	2.48	1.70	1.76
Hispanic or Latino	1.16	1.17	0.98	1.03	0.50	0.48
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.71	0.73	0.64	0.67	0.43	0.40
Female, White, Not Hispanic	0.72	0.72	0.44	0.49	0.21	0.27
Male, Black, Not Hispanic	1.93	1.96	1.63	1.74	0.94	0.96
Female, Black, Not Hispanic	1.59	1.61	1.04	1.12	0.50	0.54
Male, Hispanic	1.73	1.69	1.55	1.63	0.87	0.91
Female, Hispanic	1.51	1.52	1.02	1.11	0.50	0.32

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.80P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.6595		0.8278		0.5021	
GENDER						
Male	0.3085		0.8448		0.4478	
Female	0.6835		0.5178		0.9544	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1.0000		0.8490		0.5706	
White	0.5567		0.6529		0.4604	
Black or African American	0.9249		0.6126		0.9152	
American Indian or Alaska Native	0.4469		0.1466		0.2998	
Native Hawaiian or Other Pacific Islander	*		*		0.1099	
Asian	0.3589		0.8799		0.4822	
Two or More Races	0.3542		0.1225		0.5563	
Hispanic or Latino	0.2007		0.3659		0.7007	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.2757		0.5910		0.2341	
Female, White, Not Hispanic	0.8251		0.1378		0.5988	
Male, Black, Not Hispanic	0.2339		0.8815		0.7873	
Female, Black, Not Hispanic	0.2620		0.2843		0.5269	
Male, Hispanic	0.3820		0.6128		0.8372	
Female, Hispanic	0.3705		0.3846		0.6311	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.81C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	324	282	308	255	244	194
GEOGRAPHIC DIVISION						
Northeast	113	105	105	99	83	81
New England	58	57	54	54	39	46
Middle Atlantic	97	88	91	83	73	66
Midwest	96	128	88	118	67	91
East North Central	80	114	74	105	57	83
West North Central	56	58	49	52	36	38
South	186	170	174	152	131	112
South Atlantic	133	127	123	114	96	87
East South Central	53	56	46	52	33	33
West South Central	127	96	120	86	86	64
West	220	156	211	139	176	105
Mountain	69	69	60	63	46	40
Pacific	208	139	202	124	170	97
COUNTY TYPE						
Large Metro	268	207	255	185	200	146
Small Metro	180	171	167	156	134	109
250K – 1 Mil. Pop.	135	127	122	113	95	81
< 250K Pop.	121	123	115	112	95	79
Nonmetro	97	124	84	107	56	79
Urbanized	68	93	60	83	38	60
Less Urbanized	68	80	57	66	40	48
Completely Rural	35	40	30	35	19	25

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.81D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.48	0.47	0.51	0.46	0.48	0.40
GEOGRAPHIC DIVISION						
Northeast	0.97	1.00	0.98	0.99	0.93	0.96
New England	1.67	1.96	1.68	1.96	1.61	2.10
Middle Atlantic	1.16	1.15	1.18	1.14	1.12	1.06
Midwest	0.75	0.93	0.74	0.93	0.66	0.82
East North Central	0.88	1.11	0.87	1.11	0.76	1.04
West North Central	1.47	1.65	1.40	1.66	1.29	1.29
South	0.79	0.75	0.80	0.75	0.72	0.65
South Atlantic	1.20	1.13	1.21	1.11	1.06	0.98
East South Central	1.69	1.59	1.59	1.63	1.27	1.30
West South Central	1.29	1.23	1.32	1.23	1.27	1.06
West	1.24	1.02	1.36	0.94	1.36	0.85
Mountain	1.53	1.47	1.47	1.44	1.27	1.15
Pacific	1.62	1.30	1.81	1.19	1.86	1.10
COUNTY TYPE						
Large Metro	0.71	0.61	0.74	0.60	0.71	0.55
Small Metro	0.84	0.86	0.85	0.86	0.83	0.73
250K – 1 Mil. Pop.	0.98	0.94	0.99	0.93	0.91	0.83
< 250K Pop.	1.51	1.65	1.56	1.66	1.68	1.37
Nonmetro	0.98	1.18	0.94	1.14	0.77	1.02
Urbanized	1.35	1.95	1.36	1.94	1.07	1.69
Less Urbanized	1.36	1.58	1.32	1.46	1.22	1.35
Completely Rural	4.11	2.86	3.69	3.22	2.33	2.71

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.81P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0127		0.0118		0.0073	
GEOGRAPHIC DIVISION						
Northeast	0.0675		0.0166		0.0567	
New England	0.5853		0.5099		0.9734	
Middle Atlantic	0.0740		0.0171		0.0281	
Midwest	0.6873		0.7733		0.9508	
East North Central	0.2376		0.2866		0.6970	
West North Central	0.2579		0.2317		0.5852	
South	0.1641		0.1452		0.0263	
South Atlantic	0.6144		0.2928		0.0559	
East South Central	0.1238		0.4581		0.5653	
West South Central	0.3822		0.4682		0.3511	
West	0.0542		0.1317		0.2310	
Mountain	0.5343		0.9913		0.2102	
Pacific	0.0628		0.0986		0.3882	
COUNTY TYPE						
Large Metro	0.0181		0.0191		0.0230	
Small Metro	0.5619		0.3714		0.1770	
250K – 1 Mil. Pop.	0.3137		0.2740		0.3085	
< 250K Pop.	0.7716		0.9171		0.3412	
Nonmetro	0.2577		0.3911		0.5682	
Urbanized	0.7626		0.7769		0.9634	
Less Urbanized	0.3418		0.4186		0.4195	
Completely Rural	0.3570		0.6957		0.9038	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.82C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	2,157	2,141	1,931	1,880	1,703	1,674
GEOGRAPHIC DIVISION						
Northeast	853	892	775	813	711	740
New England	403	463	380	404	344	388
Middle Atlantic	752	764	676	708	623	633
Midwest	829	827	725	718	654	640
East North Central	609	652	530	571	484	503
West North Central	560	495	475	423	434	392
South	1,372	1,470	1,227	1,276	1,077	1,118
South Atlantic	1,049	1,235	976	1,078	879	943
East South Central	458	481	392	400	343	359
West South Central	803	686	676	603	555	522
West	1,176	1,089	1,041	958	909	839
Mountain	527	500	470	439	423	397
Pacific	1,050	966	927	853	806	739
COUNTY TYPE						
Large Metro	1,691	1,756	1,517	1,537	1,306	1,361
Small Metro	1,363	1,380	1,189	1,180	1,054	1,023
250K – 1 Mil. Pop.	1,110	1,168	998	1,028	892	913
< 250K Pop.	858	855	709	695	605	573
Nonmetro	941	929	748	757	590	653
Urbanized	648	637	540	535	440	451
Less Urbanized	652	716	495	572	387	489
Completely Rural	408	330	293	231	219	184

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.82D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.29	0.33	0.42	0.43	0.45	0.46
GEOGRAPHIC DIVISION						
Northeast	0.69	0.72	0.88	0.94	0.98	1.03
New England	0.82	0.86	1.48	1.57	1.64	1.86
Middle Atlantic	0.89	0.92	1.06	1.15	1.19	1.22
Midwest	0.48	0.46	0.75	0.73	0.83	0.80
East North Central	0.53	0.52	0.85	0.87	1.00	0.94
West North Central	0.97	0.88	1.52	1.41	1.54	1.58
South	0.51	0.59	0.77	0.77	0.82	0.80
South Atlantic	0.65	0.85	1.08	1.13	1.21	1.21
East South Central	1.25	1.47	1.66	1.86	1.75	1.79
West South Central	0.99	0.95	1.30	1.18	1.29	1.20
West	0.69	0.82	0.96	1.02	1.01	1.07
Mountain	0.98	1.12	1.41	1.51	1.58	1.67
Pacific	0.90	1.06	1.24	1.30	1.29	1.33
COUNTY TYPE						
Large Metro	0.43	0.49	0.59	0.61	0.65	0.64
Small Metro	0.47	0.51	0.70	0.76	0.78	0.85
250K – 1 Mil. Pop.	0.59	0.60	0.89	0.90	0.99	0.99
< 250K Pop.	0.76	0.96	1.16	1.51	1.30	1.70
Nonmetro	0.73	0.84	1.04	1.04	0.98	1.05
Urbanized	1.11	1.25	1.55	1.51	1.55	1.46
Less Urbanized	1.04	1.24	1.48	1.57	1.42	1.67
Completely Rural	2.23	2.42	3.13	3.33	3.40	2.99

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.82P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0782		0.5995		0.6595	
GEOGRAPHIC DIVISION						
Northeast	0.7432		0.7806		0.7395	
New England	0.6584		0.7649		0.5678	
Middle Atlantic	0.8353		0.6458		0.4970	
Midwest	0.7433		0.8237		0.7260	
East North Central	0.6742		0.6811		0.5199	
West North Central	0.9770		0.8402		0.7311	
South	0.0770		0.7049		0.9399	
South Atlantic	0.0211		0.3204		0.6382	
East South Central	0.2790		0.7756		0.8052	
West South Central	0.4740		0.3525		0.4721	
West	0.5062		0.3847		0.8112	
Mountain	0.2606		0.5468		0.3496	
Pacific	0.2265		0.1899		0.8073	
COUNTY TYPE						
Large Metro	0.3079		0.8321		0.2471	
Small Metro	0.2368		0.0416		0.1429	
250K – 1 Mil. Pop.	0.9828		0.4923		0.8543	
< 250K Pop.	0.0301		0.0171		0.0119	
Nonmetro	0.3231		0.4433		0.4589	
Urbanized	0.4487		0.6347		0.6487	
Less Urbanized	0.8455		0.2872		0.4059	
Completely Rural	0.0599		0.3098		0.5257	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.83C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2012 and 2013**

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	244	194	188	153	88	68
GEOGRAPHIC DIVISION						
Northeast	83	81	66	65	35	32
New England	39	46	35	36	22	20
Middle Atlantic	73	66	55	53	27	26
Midwest	67	91	53	72	24	29
East North Central	57	83	44	65	19	24
West North Central	36	38	30	31	14	15
South	131	112	113	82	65	41
South Atlantic	96	87	82	57	51	29
East South Central	33	33	26	22	15	12
West South Central	86	64	74	54	37	26
West	176	105	122	83	41	35
Mountain	46	40	34	32	16	14
Pacific	170	97	117	76	38	32
COUNTY TYPE						
Large Metro	200	146	146	108	62	52
Small Metro	134	109	110	87	59	35
250K – 1 Mil. Pop.	95	81	70	65	33	26
< 250K Pop.	95	79	84	62	49	24
Nonmetro	56	79	45	60	22	27
Urbanized	38	60	31	46	15	22
Less Urbanized	40	48	30	37	13	15
Completely Rural	19	25	16	17	8	6

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.83D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics:
Standard Errors of Percentages, 2012 and 2013**

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.48	0.40	0.40	0.34	0.21	0.17
GEOGRAPHIC DIVISION						
Northeast	0.93	0.96	0.82	0.84	0.49	0.47
New England	1.61	2.10	1.66	1.74	1.14	1.03
Middle Atlantic	1.12	1.06	0.94	0.95	0.53	0.52
Midwest	0.66	0.82	0.57	0.73	0.28	0.31
East North Central	0.76	1.04	0.66	0.91	0.33	0.37
West North Central	1.29	1.29	1.12	1.13	0.55	0.58
South	0.72	0.65	0.69	0.50	0.44	0.28
South Atlantic	1.06	0.98	0.99	0.70	0.68	0.40
East South Central	1.27	1.30	1.06	0.93	0.70	0.53
West South Central	1.27	1.06	1.30	0.95	0.70	0.51
West	1.36	0.85	1.02	0.75	0.39	0.35
Mountain	1.27	1.15	1.04	1.00	0.56	0.51
Pacific	1.86	1.10	1.39	0.98	0.50	0.45
COUNTY TYPE						
Large Metro	0.71	0.55	0.57	0.44	0.27	0.24
Small Metro	0.83	0.73	0.77	0.63	0.47	0.28
250K – 1 Mil. Pop.	0.91	0.83	0.74	0.72	0.40	0.31
< 250K Pop.	1.68	1.37	1.74	1.20	1.17	0.56
Nonmetro	0.77	1.02	0.67	0.82	0.36	0.43
Urbanized	1.07	1.69	0.99	1.38	0.54	0.76
Less Urbanized	1.22	1.35	0.98	1.11	0.50	0.53
Completely Rural	2.33	2.71	2.10	2.09	1.21	0.91

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.83P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.0073		0.0248		0.0198	
GEOGRAPHIC DIVISION						
Northeast	0.0567		0.1022		0.1018	
New England	0.9734		0.8234		0.0771	
Middle Atlantic	0.0281		0.0760		0.4467	
Midwest	0.9508		0.5263		0.4160	
East North Central	0.6970		0.9303		0.5917	
West North Central	0.5852		0.2686		0.5438	
South	0.0263		0.0088		0.0506	
South Atlantic	0.0559		0.0148		0.1070	
East South Central	0.5653		0.1283		0.4314	
West South Central	0.3511		0.4771		0.3513	
West	0.2310		0.9192		0.2687	
Mountain	0.2102		0.9109		0.1499	
Pacific	0.3882		0.8821		0.6067	
COUNTY TYPE						
Large Metro	0.0230		0.0208		0.0682	
Small Metro	0.1770		0.6988		0.1962	
250K – 1 Mil. Pop.	0.3085		0.8787		0.4479	
< 250K Pop.	0.3412		0.6577		0.2799	
Nonmetro	0.5682		0.3020		0.4996	
Urbanized	0.9634		0.8342		0.8991	
Less Urbanized	0.4195		0.1443		0.7491	
Completely Rural	0.9038		0.2565		0.1604	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.84C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	1,703	1,674	905	944	453	448
GEOGRAPHIC DIVISION						
Northeast	711	740	389	393	197	159
New England	344	388	158	205	78	86
Middle Atlantic	623	633	355	336	180	133
Midwest	654	640	408	382	211	186
East North Central	484	503	300	303	155	152
West North Central	434	392	275	239	141	100
South	1,077	1,118	553	629	280	302
South Atlantic	879	943	416	499	216	248
East South Central	343	359	188	205	103	107
West South Central	555	522	318	345	145	140
West	909	839	451	463	196	241
Mountain	423	397	198	218	81	123
Pacific	806	739	403	409	182	210
COUNTY TYPE						
Large Metro	1,306	1,361	706	763	351	370
Small Metro	1,054	1,023	507	538	252	233
250K – 1 Mil. Pop.	892	913	409	487	207	208
< 250K Pop.	605	573	325	279	154	113
Nonmetro	590	653	332	334	161	145
Urbanized	440	451	246	231	100	97
Less Urbanized	387	489	221	246	119	96
Completely Rural	219	184	110	112	45	64

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.84D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.45	0.46	0.35	0.35	0.20	0.19
GEOGRAPHIC DIVISION						
Northeast	0.98	1.03	0.77	0.80	0.45	0.37
New England	1.64	1.86	1.28	1.39	0.67	0.74
Middle Atlantic	1.19	1.22	0.94	0.97	0.56	0.43
Midwest	0.83	0.80	0.69	0.67	0.42	0.37
East North Central	1.00	0.94	0.81	0.79	0.47	0.44
West North Central	1.54	1.58	1.31	1.30	0.83	0.62
South	0.82	0.80	0.58	0.62	0.33	0.35
South Atlantic	1.21	1.21	0.79	0.92	0.47	0.54
East South Central	1.75	1.79	1.20	1.40	0.74	0.76
West South Central	1.29	1.20	1.10	1.07	0.54	0.53
West	1.01	1.07	0.81	0.76	0.39	0.44
Mountain	1.58	1.67	1.18	1.24	0.51	0.76
Pacific	1.29	1.33	1.04	0.95	0.53	0.54
COUNTY TYPE						
Large Metro	0.65	0.64	0.52	0.52	0.29	0.29
Small Metro	0.78	0.85	0.60	0.65	0.36	0.34
250K – 1 Mil. Pop.	0.99	0.99	0.73	0.80	0.44	0.44
< 250K Pop.	1.30	1.70	1.10	1.11	0.64	0.52
Nonmetro	0.98	1.05	0.71	0.76	0.41	0.37
Urbanized	1.55	1.46	1.16	1.14	0.56	0.54
Less Urbanized	1.42	1.67	1.03	1.19	0.66	0.54
Completely Rural	3.40	2.99	2.31	2.21	0.98	1.45

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.84P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.6595		0.8278		0.5021	
GEOGRAPHIC DIVISION						
Northeast	0.7395		0.2897		0.0187	
New England	0.5678		0.5422		0.4448	
Middle Atlantic	0.4970		0.3836		0.0239	
Midwest	0.7260		0.6301		0.1356	
East North Central	0.5199		0.6658		0.3103	
West North Central	0.7311		0.8197		0.2263	
South	0.9399		0.7924		0.7947	
South Atlantic	0.6382		0.4667		0.8540	
East South Central	0.8052		0.3860		0.4017	
West South Central	0.4721		0.9858		0.8256	
West	0.8112		0.1898		0.0295	
Mountain	0.3496		0.0359		0.0073	
Pacific	0.8073		0.7234		0.3305	
COUNTY TYPE						
Large Metro	0.2471		0.8910		0.8048	
Small Metro	0.1429		0.7594		0.8774	
250K – 1 Mil. Pop.	0.8543		0.3912		0.5717	
< 250K Pop.	0.0119		0.4851		0.2517	
Nonmetro	0.4589		0.8441		0.2436	
Urbanized	0.6487		0.9674		0.4726	
Less Urbanized	0.4059		0.8125		0.0800	
Completely Rural	0.5257		0.7472		0.1374	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.